


### Four Row Cylindrical Roller Bearings



Bearing NO.		Boundary dimensions(mm)						Basic load ratings(kN)		Cutline	Weight (kg)	Refer foreign model				
New	Old	d	D	B	Fw	r <sub>1</sub> , 2min	r <sub>3</sub> , 4min	Cr	Cor			Refer	SKF	FAG	NSK	NTN
FC182870		90	140	70	105	1.5	1.1	242	425	2	3.78					
FC182874	672718	90	140	74	105	1.5	1.1	247	485	2	4.2					
FC1828105	672718K	90	140	105	105	1.5	1.1	402	739	2	6					
FC202780		100	135	80	110	1.5	1.1	236	520	2	3					
FC202870	672820K	100	140	70	111	1.5	1.1	238	484	2	3.3					
FC202880	672720K	100	140	80	111	1.5	1.1	298	610	2	3.8					
FC2028104	672820	100	140	104	111	1.5	1.1	400	820	2	5.3			100RV1401		
FC202970	672720	100	145	70	113	1.5	1.1	253	546	2	3.8					20FC1570
FC203074/YA3		100	150	74	115	2	2	260	530	1	4.7				4R2035	
FC2030106		100	150	106	113	1.5	1.1	480	857	2	6.6					
FC223490	672722K	110	170	90	127	2	2	376	760	2	7.5					22FC1790
FC223492		110	170	92	127	2	2	380	762	2	7.7					
FC2234120/YA3	672722	110	170	120	127	2	2	615	1100	1	10			110RV1701		
FC233390/YA3		115	165	90	132	1.1	1.1	398	750	3	6.5					23FC1690
FC243387/YA3		120	165	87	134.5	2	2	365	725	1	6			120RV1601		24FC1787
FC243390/YA3		120	165	90	132	2	2	510	780	1	5.6		537675			
FC243692	672824	120	180	92	137	2	2	425	797	2	8.01				4R2437	
FC2436105/YA3	672724	120	180	105	136	2	2	530	880	1	9.4			120RV1801	4R2438	4CR120
FC2436120		120	180	120	136	2	2	678	1080	2	11.2					
FC2443174/YA3		120	215	174	147	2.1	2.1	1060	1600	1	27.2			120RV2101		
FC2443102		120	215	102	148	2.1	2.1	710	1200	2	16					

Bearing NO.		Boundary dimensions(mm)						Basic load ratings(kN)		Cutline	Weight (kg)	Refer foreign model				
New	Old	d	D	B	Fw	r <sub>1</sub> , 2min	r3, 4min	Cr	Cor			Refer	SKF	FAG	NSK	NTN
FC2640104/YA3		130	200	104	149	2	2	570	950	1	12			130RV2003	4R2628	26FC20104
FC2640110/YA3		130	200	110	150	2	2	608	1040	1	12.7					26FC20110
FC2640125/YA3	672726	130	200	125	149	2	2	700	1190	1	14.5			130RV2001		26FC20125
FC2838119		140	190	119	154	2	2	574	896	2	9.7					28FC19119W
FC2842100		140	210	100	158	2	2	605	985	2	12.2					
FC2842106	672828	140	210	106	158	2	2	615	1048	2	13					
FC2842116/YA3		140	210	116	160	2	2	640	1130	1	13.9			140RV2101	4R2823	28FC21116A
FC2842125	672728	140	210	125	158	2	2	715	1265	2	14.9					
FC2842155		140	210	155	158	2	2	745	1330	2	18					
FC2942155/YA3		145	210	155	166	2	2	735	1560	1	18	314625	511605	145RV2101	4R2906	29FC21155
FC2945156/YA3		145	225	156	169	2	2	835	1820	1	23	313924A	538522	145RV2201	4R2904	313924
FC2946156		145	230	156	169	2	2	886	1827	2	24.7					
FC3042120		150	210	120	166	2	2	687	1080	2	12.5					
FC3042150/YA3		150	210	150	165	2	2	870	1780	1	15.9					30FC21150
FC3044120	672930K	150	220	120	167	2	2	702	1193	2	15.5					
FC3044150/YA3		150	220	150	168	2	2	900	1700	1	19.3			150RV2201	4R3031	30FC22150A
FC3045120	672730K	150	225	120	169	2	2	702	1408	2	16.2					
FC3045136/YA3		150	225	136	169	2	2	820	1460	1	19			150RV2204		
FC3045150/YA3		150	225	150	168.5	2	2	960	1810	1	20.9			150RV2203		
FC3046130/YA3		150	230	130	174	2	2	845	1520	1	19.7			150RV2301	4R3029	30FC23130-1
FC3046150		150	230	150	177	2	2	950	1790	2	22.8					
FC3046156/YA3	672730	150	230	156	174	2	2	965	1810	1	24	313891A	506962	150RV2302	4R3040	313891-1
FC3046168/YA3		150	230	168	178	2	2	845	1950	1	25.8				4R3042	
FC3050150/YA3		150	250	150	177	2.5	2.5	885	1640	1	29.6				4R3039	
FC3244180		160	220	180	177	2.1	2.1	940	2560	2	20.2				4R3224	32FC22180
FC3245120		160	225	120	177	2.1	2.1	639	1340	2	14.9					
FC3246130A/YA3		160	230	130	178	2.1	2.1	781	1320	1	17.7			160RV2301		32FC23130
FC3246130/YA3		160	230	130	180	2.1	2.1	781	1340	1	17	314190	502894A		4R3226	314190
FC3246168/YA3		160	230	168	179	2.1	2.1	1040	2170	1	23.5	315189A	510150		4R3232	
FC3246168A/YA3	672832	160	230	168	180	2.1	2.1	1040	21700	1	23.5			160RV2302	4R3229	32FC23170A
FC3246180		160	230	180	178	2.1	2.1	1080	2270	1	24.6			160RV2303		32FC23180
FC3248120/YA3		160	240	120	183	2.1	2.1	745	1320	1	18.6			160RV2401		32FC24120W
FC3248124	672732K	160	240	124	183	2.1	2.1	750	1360	2	19.6					
FC3248145/YA3		160	240	145	180	2.1	2.1	920	1600	1	23			160RV2403		
FC3248168	672732	160	240	168	183	2.1	2.1	1042	2310	2	26.7					
FC3248170/YA3		160	240	170	183	2.1	2.1	1080	2050	1	27.8			160RV2402	4R3225	32FC24170
FCDP3248195/YA3		160	240	195	182	3	3	1340	2600	9	33		514057			
FC3446120/YA3		170	230	120	187	2.1	2.1	750	1580	1	14.3			170RV2301	4R3426	34FC23120
FC3446130		170	230	130	188.5	2.1	2.1	780	1680	1	15.6	313673	508370			
FC3446160/YA3		170	230	160	188.5	2.1	2.1	940	2320	1	18.9		567622			
FC3446180		170	230	180	186	2.1	2.1	1040	2690	2	24.5					
FC3448130/YA3		170	240	130	190	2.1	2.1	920	1830	1	18.7	BC4B635122				
FC3448156		170	240	156	189	2.1	2.1	983	2070	2	22.2				4R3429	34FC24156
FC3448160/YA3		170	240	160	190	2.1	2.1	1000	2130	1	23			170RV2402	4R3423	
FC3450150		170	250	150	192	2.1	2.1	980	2016	2	25					
FC3450168/YA3		170	250	168	192	2.1	2.1	1020	2320	1	28			170RV2501		34FC25168
FC3450170/YA3	672734	170	250	170	192	2.1	2.1	1180	2320	1	28.6			170RV2502		34FC25170
FC3451180/YA3		170	255	180	193	2.1	2.1	1300	2500	1	30.5			170RV2503	4R3425	
FC3452120	672734K	170	260	120	195	2.1	2.1	860	1752	2	23					
FC3452150/YA3		170	260	150	195	2.1	2.1	1030	1840	1	28.8			170RV2602		34FC26150
FC3452170		170	260	170	195	2.1	2.1	1035	2096	2	32.7					
FC3452192	672734K1	170	260	192	195	2.1	2.1	1090	2240	2	36.9					

EVERGLORY INDUSTRY CO., LIMITED

No. 29 Industrial Park North Road Wafangdian City Liaoning China

www.evergloryindustry.com

info@evergloryindustry.com

Tel / Whatsapp: 008613130008503



Bearing NO.		Boundary dimensions(mm)						Basic load ratings(kN)		Cutline	Weight (kg)	Refer foreign model				
New	Old	d	D	B	Fw	r <sub>1, 2min</sub>	r <sub>3, 4min</sub>	Cr	Cor			Refer	SKF	FAG	NSK	NTN
FC3452225		170	260	225	196	2.1	2.1	1650	3360	2	43.6	313587B	505470		4R3431	
FCDP3452225/YA6		170	260	225	193	4	4	2160	4300	10	45		535331			
FC3650120		180	250	120	200	2.1	2.1	610	1578	2	18					
FC3650130		180	250	130	200	2.1	2.1	716	1922	2	19.5					
FC3650156A		180	250	156	198	2.1	2.1	880	2230	1	23.4					
FC3650156/YA3		180	250	156	200	2.1	2.1	880	2230	1	23.4			180RV2501	4R3625	36FC25156A
FC3650168/YA3		180	250	168	202	2.1	2.1	885	2470	1	25.6				4R3639	
FC3652120	672836	180	260	120	202	2.1	2.1	735	1577	2	21					
FC3652124		180	260	124	202	2.1	2.1	735	1577	2	21.7					
FC3652156		180	260	156	198	2.1	2.1	835	2200	2	27.3					
FC3652160		180	260	160	202	2.1	2.1	880	2230	2	28.4					
FC3652168/YA3	672736	180	260	168	202	2.1	2.1	990	2300	1	29.5	313812	507536	180RV2601	4R3628	313812W
FC3653180A		180	265	180	203	2.1	2.1	1180	2395	1	33.7			180RV2603		36FC27180
FC3653180/YA3		180	265	180	204	2.1	2.1	1040	2649	1	33.8			180RV2602	4R3618	
FC3656180/YA3		180	280	180	206	2.1	2.1	1287	2995	1	41		524372			
FC3656180A		180	280	180	207	2.1	2.1	1287	2995	2	41.4					
FC3656200/YA3		180	280	200	205	2.1	2.1	1620	2990	1	45.7					36FC28200
FC3852168A	672838	190	260	168	208	2.1	2.1	1140	2520	2	24.9					
FC3852168/YA3		190	260	168	212	2.1	2.1	1140	2600	1	27	313651	507735	190RV2601	4R3820	38FC26168-1
FC3853124		190	265	124	213	2.1	2.1	819	1921	2	21					
FC3854166		190	270	166	212	2.1	2.1	1034	2460	2	30.4					
FC3854168	672738K	190	270	168	212	2.1	2.1	1034	2460	2	30.8					
FC3854170/YA3		190	270	170	213	2.1	2.1	1240	2910	1	31.7			190RV2702	4R3818	38FC27170A
FC3854200/YA3	672738	190	270	200	212	2.1	2.1	1510	3310	1	37.5	314199B	508657	190RV2701	4R3821	314199
FC3856200/YA3		190	280	200	214	2.1	2.1	1720	3370	1	42	314049A	510199	190RV2801	4R3823	
FC4050200		200	250	200	215	2	2	886	2360	2	23.2			200RV2521		
FC4053180/YA3		200	265	180	217	2	2	1200	2790	1	26.9					40FC27180
FC4054120		200	270	120	222	2.1	2.1	617	1630	2	19.6					
FC4054170/YA3		200	270	170	222	2.1	2.1	1170	2580	1	28.5	314553	522742		4R4039	314553
FC4056152		200	280	152	222	2.1	2.1	1000	2320	2	29.5				4R4054	40FC28152BW
FC4056170/YA3		200	280	170	222	2.1	2.1	1120	2300	1	33.5	314385	507344		4R4048	40FC28170
FC4056170A		200	280	170	223	2.1	2.1	1120	2300	1	33.2		549864	200RV2804		
FC4056188	672740K	200	280	188	222	2.1	2.1	1210	2720	2	36					40FC28188
FC4056190/YA3		200	280	190	223	2.1	2.1	1350	3050	1	37.1			200RV2803	4R4026	40FC28190A
FC4056200/YA3		200	280	200	222	2.1	2.1	1410	3200	1	39	313893	508726	200RV2802	4R4037	313893-1
FC4056200A/YA3		200	280	200	224	2.1	2.1	1410	3200	1	39.4			200RV2801	4R4027	40FC28200
FC4058130		200	290	130	226	2.1	2.1	945	1916	2	38.5					
FC4058192/YA3	672740	200	290	192	226	2.1	2.1	1410	2980	1	42.8	313811	512580	200RV2901	4R4041	313811
FC4058202		200	290	202	226	2.1	2.1	1540	3110	2	43.4					
FC4062130		200	310	130	229	2.1	2.1	1113	2254	2	36.3					
FC4062200/YA3		200	310	200	229	2.1	2.1	1670	3625	1	55.8		524373			
FCD4062230/YA3		200	310	230	229	2.1	2.1	1840	3500	5	64	313639/VJ202	503901	200RV3102		
FCDP4062265/YA3		200	310	265	227	3	3	2700	4100	9	73		514958			40FC31265W
FC4064216/YA3		200	320	216	231	2.1	2.1	2120	3900	1	69.9			200RV3231	4R4028	
FC4258192		210	290	192	234	2.1	2.1	1400	3240	2	38.2					
FC4258192A/YA3		210	290	192	236	2.1	2.1	1400	3300	1	41	313646	507628	210RV2901	4R4206	42FC29192
FC4260170		210	300	170	234	2.1	2.1	1320	2900	2	38.8					
FC4260210	672742	210	300	210	234	2.1	2.1	1510	3700	2	47.9					42FC30210
FC4458192/YA3		220	290	192	239	2.1	2.1	1190	3350	1	33.8				4R4413	
FC4460160/YA3		220	300	160	245	2.1	2.1	1050	2600	1	32.8				4R4419	
FC4460190		220	300	190	240	2.1	2.1	1220	3320	2	39.3					
FC4460192	672944	220	300	192	242	2.1	2.1	1220	3320	2	39.7					

EVERGLORY INDUSTRY CO., LIMITED

No. 29 Industrial Park North Road Wafangdian City Liaoning China

www.evergloryindustry.com

info@evergloryindustry.com

Tel / Whatsapp: 008613130008503



Bearing NO.		Boundary dimensions(mm)						Basic load ratings(kN)		Cutline	Weight (kg)	Refer foreign model				
New	Old	d	D	B	Fw	r <sub>1</sub> , 2min	r <sub>3</sub> , 4min	Cr	Cor			Refer	SKF	FAG	NSK	NTN
FCD4460200		220	300	200	240	2.1	2.1	1800	3900	2	41					
FC4462190		220	310	190	246	2.1	2.1	1320	3450	2	45					
FC4462192YA3	672744	220	310	192	246	2.1	2.1	1540	3450	1	46	313839	507333		4R4426	313837A
FC4462192A/YA3		220	310	192	247	2.1	2.1	1540	3450	1	46			220RV3101	4R4410	313837-1
FCD4462204/YA3		220	310	204	247	2.1	2.1	1570	3750	1	49.8				4R4425	
FCD4462215/YA3		220	310	215	242	2.1	2.1	1650	3850	1	51.5				4R4420	
FCD4462225/YA3		220	310	225	244	2.1	2.1	1740	3900	1	54.5	313894B	514461		4R4449	4CR220W
FCD4462225A/YA3		220	310	225	245	2.1	2.1	1740	3900	1	54.9		506869	220RV3102	4R4416	44FC31225
FCD4462265		220	310	265	245	2.1	2.1	1970	4700	2	63.5					
FC4464160YA3		220	320	160	245	2.1	2.1	1200	2600	1	46.5				4R4428	
FC4464192	672744K	220	320	192	246	2.1	2.1	1600	3450	2	51.5					
FCD4464210/YA3		220	320	210	246	2.1	2.1	1800	3700	1	57		509216	220RV3203	4R4444	44FC32210
FCD4464210A/YA3		220	320	210	248	2.1	2.1	1790	3650	1	56			220RV3201	4R4429	44FC32210-1
FCD4466230/YA3		220	330	230	249	2.1	2.1	2050	4000	5	68.5	314889/VJ202	541452			
FC4468180/YA3		220	340	180	256	3	3	1500	2750	1	59					44FC34180A
FC4468192	672844	220	340	192	246	2.1	2.1	1820	3600	2	64.2					
FCD4468210		220	340	210	250	2.1	2.1	1910	3850	4	70.5					
FCDP4468290		220	340	290	250	2.1	2.1	2980	5010	9	96.5		525147			
FCD4469210		220	345	210	250	2.1	2.1	1910	3850	4	73.8					
FC4666170		230	330	170	260	2.1	2.1	1150	2970	2	47.4					
FC4666206A/YA3		230	330	206	258	2.1	2.1	1640	3720	1	58.6				4R4614	
FC4666206/YA3	672746	230	330	206	260	2.1	2.1	1620	3690	1	58	313824	508727	230RV3301	4R4610	313824
FC4668260/YA3		230	340	260	261	2.1	2.1	2100	4590	1	81			230RV3401	4R4611	46FC34260
FCDP4673250		230	365	250	266	2.1	2.1	2300	4890	9	100	313581A	529113	230RV3601		313581AW
FC4866180/YA4		240	330	180	265	2.1	2.1	1460	3490	1	49.5	635194	504547			
FC4866220	672748	240	330	220	264	2.1	2.1	1540	3850	1	56.4				4R4819	48FC33220
FC4866220A		240	330	220	270	2.1	2.1	1500	3700	2	58	313921	508368	240RV3301	4R4811	312943/1YD
FC4868192	672748K	240	340	192	268	2.1	2.1	1474	3230	2	55.4					
FC4868220/YA3		240	340	220	268	3	3	1670	3530	1	71		513703	240RV3403		48FC34220
FC4870220		240	350	220	270	3	3	1780	3870	2	71					
FC4872218/YA3		240	360	218	270	3	3	2130	4060	1	76.8					48FC36218
FC4872220		240	360	220	272	3	3	1920	3920	1	78.8			240RV3601		
FC4872220A		240	360	220	274	3	3	1860	3900	2	79.6					
FCDP4872290/YA3		240	360	290	270	3	3	2850	5670	9	100		514959			48FC35290W
FC5068170		250	340	170	274	3	3	1390	3500	2	45					
FC5068220		250	340	220	274	3	3	1330	3120	2	52.8					
FCD5068230		250	340	230	270	3	3	1700	4350	4	65					
FC5070220A		250	350	220	274	3	3	1670	3640	4	58					
FC5070220/YA3	672750	250	350	220	278	3	3	1730	3990	1	65			250RV3501	4R5008	50FC35220
FCD5070230		250	350	230	278	3	3	1900	4350	4	68.7					
FC5072220	672750K	250	360	220	282	3	3	1810	4240	4	73					
FC5272192		260	360	192	288	3	3	1610	3660	2	60					52FC36192W
FC5272200/YA3		260	360	200	287	3	3	1880	4110	1	62					52FC36200
FCD5272204/YA3		260	360	204	287	3	3	1690	3850	5	64.5	314997/VJ202				
FC5272230/YA3		260	360	230	292	3	3	1980	4200	1	73.5	BC4B320956	533880			
FCD5272260/YA3		260	360	260	287	3	3	2300	5320	5	80				4R5231	52FC36260
FC5274192		260	370	192	291	3	3	1670	4010	2	66					
FC5274200	672752K	260	370	200	292	3	3	1770	4120	2	68.9					
FC5274220/YA3	672752	260	370	220	292	3	3	1950	4140	1	76.5	313823	507336	260RV3701	4R5208	313823
FC5274230		260	370	230	292	3	3	2020	4450	2	79.3					
FC5276220		260	380	220	292	3	3	2100	4900	2	85					
FC5276280/YA3		260	380	280	294	3	3	2420	5940	1	108			260RV3801	4R5213	52FC38280

EVERGLORY INDUSTRY CO., LIMITED

No. 29 Industrial Park North Road Wafangdian City Liaoning China

www.evergloryindustry.com

info@evergloryindustry.com

Tel / Whatsapp: 008613130008503



Bearing NO.		Boundary dimensions(mm)						Basic load ratings(kN)		Cutline	Weight (kg)	Refer foreign model				
New	Old	d	D	B	Fw	r <sub>1</sub> , 2min	r3, 4min	Cr	Cor			Refer	SKF	FAG	NSK	NTN
FCD5276280A	672852	260	380	280	295	3	3	2420	5940	4	108					
FCDP5280290		260	400	290	296	3	3	3520	7100	9	135	313427	518214	260RV4001	4R5218	
FC5280300/YA3		260	400	300	295	5	5	3900	7600	1	145		526803			
FCDP5280335/YA3		260	400	335	294	3	3	3750	7340	6	149		521065			52FC40335W
FC5374234/YA3		265	370	234	300	3	3	2240	5400	1	80	313922	517423			53FC37234
FC5476230/YA3	672754	270	380	230	298	2.1	2.1	2000	5050	1	81.8			270RV3801		54FC38230
FCD5476275		270	380	275	298	3	3	2700	6300	4	97.8					
FC5476280/YA3		270	380	280	297	2.5	2.5	2260	5750	6	101				4R5407	
FC5478220		270	390	220	306	3	3	1800	4800	4	86.7					
FC5478220A		270	390	220	302	3	3	1800	4800	4	85.8					54FC39220
FCD5478240		270	390	240	298	3	3	2236	5950	4	94					
FC5480220		270	400	220	305	3	3	2410	6100	4	95.5					
FC5670208/YA3		280	350	208	298	2.5	2.5	1290	3950	1	46.4				4R5614	
FC5675200		280	375	200	307	3	3	1500	4310	2	63.5					
FC5676170/YA3		280	380	170	306	3	3	1410	3590	3	55					56FC38170W
FC5676192A		280	380	192	308	3	3	1560	4580	2	64.8					
FC5676192		280	380	192	310	3	3	1560	4580	2	64.8					
FCDP5676290/YA3		280	380	290	308.53	3	3	2750	6950	9	75.2	BC4-0001				
FC5678220/YA3	672756	280	390	220	312	3	3	2020	4400	1	81.54	313822	507339	280RV3901	4R5611	313822
FC5678240/YA3		280	390	240	312	3	3	2240	5230	1	89.4			280RV3902		
FCDP5678275/YA3		280	390	275	308	3	3	2720	6130	9	105	314719C	527104	280RV3903		
FC5678275/YA3		280	390	275	312	3	3	2260	6940	1	105		513729A		4R5612	56FC38275
FCD5680285/YA3		280	400	285	316	3	3	2850	6600	5	121	314070/VJ202	513342	280RV4021		
FCD5682300/YA3		280	410	300	313	4	4	3170	6860	5	134	314897/VJ202	510350			
FCDP5682300/YA6		280	410	300	314	4	4	3730	8400	10	137					56FC41300
FCD5684280		280	420	280	318	4	4	2945	7212	4	137					
FC5684290/YA3		280	420	290	315	5	5	3900	9780	1	140		517797			
FCDP5684300/YA3		280	420	300	319	4	4	3070	6470	9	151	313487	507356			
FC5684280A/YA3		280	420	280	323	4	4	2945	7212	1	137				4R5605	
FCD5878190/YA3		290	390	190	316	4	4	1940	4320	5	67	635195				
FC5878234/YA3		290	390	234	320	4	4	2150	5320	1	82.2			290RV3901		58FC39234
FC5880180/YA3		290	400	180	320	4	4	2070	5120	1	67.5					58FC40180W
FC5882240/YA3	672758	290	410	240	320	4	4	2440	5180	1	101			290RV4101	4R5806	58FC41240
FC5884300/YA3		290	420	300	327	4	4	3130	7130	1	141			290RV4201	4R5805	58FC42300
FC5888310/YA3		290	440	310	328	4	4	4130	9210	1	171		517796			
FCD6080300/YA3		300	400	300	328	4	4	2590	6560	5	115			300RV4021	4R6014	60FC40300
FCD6084180		300	420	180	332	4	4	2020	6440	4	92.4					
FC6084218/YA3	672760K	300	420	218	332	4	4	2014	4950	3	94					60FC42218
FC6084240/YA3	672760	300	420	240	332	4	4	2540	5460	3	111			300RV4201	4R6027	60FC42240
FC6084240A/YA3		300	420	240	334	4	4	2540	5460	1	114				4R6012	
FC6084240A/YA3		300	420	240	336	4	4	2010	5450	1	105				4R6023	
FCDP6084300/YA3		300	420	300	332	4	4	3180	7200	9	131	314484D	524289B	300RV4221	4R6020	4CR300
FC6084300/YA3		300	420	300	334	4	4	2900	7850	1	130				4R6015	
FC6086240/YA3		300	430	240	338	4	4	2720	5950	1	115					60FC43240
FC6092270/YA3		300	460	270	344	4	4	2670	5800	1	162				4R6019	
FCDP6092350/YA3		300	460	350	341	4	4	5500	9700	10	251		517795			
FC6284300/YA3		310	420	300	338	4	4	3130	7650	1	121			310RV4201		62FC42300
FC6286240/YA3		310	430	240	344.5	4	4	2480	5650	1	109			310RV4301	4R6202	62FC43240
FCDP6288240/YA3		310	440	240	345	4	4	3250	5700	9	115		574469			
FCDP6488340/YA6		320	440	340	350	4	4	5100	13200	10	170		532220			
FC6490240/YA3		320	450	240	358	4	4	2620	5840	1	121			320RV4501	4R6411	4CR320
FC6490240A/YA3		320	450	240	355	4	4	2600	5750	1	116			320RV4502		64FC45240

EVERGLORY INDUSTRY CO., LIMITED

No. 29 Industrial Park North Road Wafangdian City Liaoning China

www.evergloryindustry.com

info@evergloryindustry.com

Tel / Whatsapp: 008613130008503



Bearing NO.		Boundary dimensions(mm)						Basic load ratings(kN)		Cutline	Weight (kg)	Refer foreign model				
New	Old	d	D	B	Fw	r <sub>1, 2min</sub>	r <sub>3, 4min</sub>	Cr	Cor			Refer	SKF	FAG	NSK	NTN
FCD6492300		320	460	300	357	4	4	2940	8430	4	164					
FCD6492240/YA3		320	460	240	364	4	4	2720	7200	5	140	BC4B322216/VJ202				
FC6492340/YA3		320	460	340	360	4	4	3350	8950	3	178				4R5412	64FC46340A
FCDP6494350/YA3		320	470	350	357	5	5	5200	9780	9	225		532592			
FCDP6494350A/YA3		320	470	350	361.7	5	5	4150	1090	9	212				4R6406	
FCDP6496350/YA6		320	480	350	364	5	5	4600	9970	10	232	314274B	513654A	320RV4811		
FCDP64104475/YA6		320	520	475	367	6	3	9800	21000	10	435		522140			
FC6686230/YA3		330	430	230	358	4	4	2220	5560	1	89.6			330RV4301		
FC6688200		330	440	200	360	4	4	2050	4510	2	85			330RV4401	4R6603	66FC44200W
FCDP6692340/YA3		330	460	340	365	4	4	3400	8200	9	175	313445C	543447		4R6605	
FCDP6692340A/YA6		330	460	340	364	4	4	3400	8200	10	175					4CR330
FC6890250/YA3		340	450	250	371	4	4	2580	6400	1	111			340RV4501		
FC6890250A		340	450	250	368	4	4	2580	6410	2	111			340RV4502		68FC45250BW
FCD6892260		340	460	260	370	4	4	2800	7300	4	125					
FC6896280		340	480	280	374	4	4	3120	8120	2	160					
FCD6896350/YA3		340	480	350	378	4	4	4580	11100	6	211					68FC48350-2
FCDP6896350/YA3		340	480	350	378	4	4	4400	9830	9	205	314485A	527634		4R6819	68FC48350D
FC6898300/YA3		340	490	300	377	4	4	3350	8300	1	187				4R6804	
FC6898300A/YA3		340	490	300	380	4	4	3500	7600	1	187					68FC49300
FCDP68100370/YA6		340	500	370	385	4	4	4800	10600	10	261	BC4B322261/HB1	517749			
FCDP68120380/YA6		340	560	380	396	4	4	5800	11880	10	350	313404A	545171			
FCD6996350		345	480	350	376	4	4	4180	9780	4	192			345RV4821		
FCD70100380		350	500	380	389	5	5	4200	10080	4	240	314563/VJ202	532381.N12BA			
FCDP70100410/YA6		350	500	410	388	5	5	4960	12300	10	285	BC4B322777/HB1	532001			
FCDP70100460/YA3		350	500	460	388	5	5	6570	16500	9						70FC50460
FCD70104300		350	520	300	401	5	5	4070	7950	4	220	BC2B319878/VJ202				
FCD70104300/HCYA2		350	520	300	401	5	5	4290	9000	8	220	BC4B326909/HA3				
FC7296290/YA3		360	480	290	392	4	4	3470	8510	1	145					72FC48290
FC7296290A/YA3		360	480	290	394	4	4	3080	7470	1	149			360RV4801		
FCD72100250		360	500	250	394	4	4	3040	6620	4	146	BC2B320075A/VJ202				
FC72102370/YA3		360	510	370	400	4	4	4250	9600	1	241			360RV5101	4R7212	72FC51370
FCDP72102380/YA3		360	510	380	399	4	4	5200	12300	9	246					72FC51380
FC72102400		360	510	400	397	4	4	4500	11500	2	260				4R7203	
FCDP72104380/YA6		360	520	380	405	4	4	3350	8300	10	270		562913			72FC52380
FCDP72108300/YA6		360	540	300	404	4	4	4310	8680	10	247					72FC54300
FC7496230/YA3		370	480	230	400	4	4	2100	6250	1	106				4R7405	
FC7496250		370	480	250	385	3	3	2820	7320	2	115					74FC48250W
FC7496250/YA3		370	480	250	401	4	4	2690	6980	1	120			370RV4801	4R7408	
FCDP74104380/YA3		370	520	380	409	4	4	4680	11790	9	263	314486A	543975	370RV5211		74FC52380
FCDP74104380/YA6		370	520	380	409	4	4	6400	12900	10	252		524678A			
FCD74104400		370	520	400	409	4	4	4680	10500	1	260				4R7404	
FCD74104400/YA3		370	520	400	413	4	4	4740	11900	6	268					74FC52400W
FC74108400/YA3		370	540	400	415	4	4	4990	11400	1	320			370RV5401		74FC54400A
FC76100290/YA3		380	500	290	414	4	4	3010	7920	1	153			380RV5001		
FC76104280/YA3		380	520	280	417	4	4	3280	7600	1	174			380RV5202	4R7605	76FC52280
FCD76104280		380	520	280	426	4	4	2580	6210	4	185	NNU4976B/DRW33				
FC76104290/YA3		380	520	290	418	4	4	3380	7970	1	181		576360	380RV5201		76FC52290
FCDP76104300/YA3		380	520	300	416	4	4	3550	9600	9	210				4R7607	
FCDP76108300/YA6		380	540	300	421	4	4	4260	9900	10	220	313030A	545768			
FCDP76108340/YA6		380	540	340	422	4	4	4600	10300	10	256					76FC54340W
FCDP76108340/YA3		380	540	340	424	4	4	4460	10360	9	264			380RV5431		
FCDP76108360/YA3		380	540	360	422	4	4	5480	12900	9	266					76FC54360



EVERGLORY INDUSTRY CO., LIMITED

No. 29 Industrial Park North Road Wafangdian City Liaoning China

www.evergloryindustry.com

info@evergloryindustry.com

Tel / Whatsapp: 008613130008503

Bearing NO.		Boundary dimensions(mm)						Basic load ratings(kN)		Cutline	Weight (kg)	Refer foreign model				
New	Old	d	D	B	Fw	r <sub>1, 2min</sub>	r <sub>3, 4min</sub>	Cr	Cor			Refer	SKF	FAG	NSK	NTN
FCDP76108400/YA3		380	540	400	422	4	4	4860	12150	9	295	BC4B313511B	544794	380RV5411	4R7604	76FC54400BW
FCDP76108400B/YA6		380	540	400	422	4	4	6060	14200	10	305	BC4B326366/HB1			4R7618	76FC54400DW
FC76108400		380	540	400	424	5	5	4790	11400	2	288			380RV5401	4R7613	76FC54400CW
FCDP76112300/YA6		380	560	300	424	4	4	4700	9650	10	260	BC4B322189				
FC76112325B		380	560	325	428	4	4	4970	10600	1	265	BC4B322264/HB1				
FCDP76130360/YA6		380	560	360	422	5	4	5500	1200	10	308					76FC56360
FC78102290/YA3		390	510	290	424	4	4	3230	8550	1	156			390RV5101		
FCDP78108320/YA6		390	540	320	431	4	4	4750	10980	10	230	BC4B322498	578278			
FCDP78110310/YA6		390	550	310	430	4	4	4680	10440	10	240	313190A				
FCD78110400		390	550	400	434	4	4	4890	11780	4	304			390RV5521		78FC55400AW
FC80104250		400	520	250	432	5	5	3000	7700	2	140			400RV5202		80FC52250W
FCDP80108380/YA6		400	540	380	436	5	5	4320	9780	10	273		533426			
FCDP80110300/YA6		400	550	300	438	5	5	4230	9880	10	214					80FC55300
FC80110300/YA3		400	550	300	441	5	5	3940	9260	1	216			400RV5501		
FCDP80112360/YA6		400	560	360	441	5	5	5570	13400	10	277					80FC56360
FCDP80112400/YA6		400	560	400	446	5	5	5370	12920	10	322			400RV5612	4R8007	80FC56400W
FCDP80112410/YA6		400	560	410	445	5	5	5640	13800	10	330	313015DC	513769A	400RV5613	4R8010	80FC56410
FC80108420/YA3		400	590	420	450	5	5	5150	1300	1	399				4R8011	
FCD80108440/YA3		400	590	440	450	5	5	6630	14940	6	415	315802/VJ202				
FCDP82112400/YA6		410	560	400	450	5	5	5800	14310	10	321	316689	561005			
FCDP82114450/YA6		410	570	450	452	5	5	6930	17900	10	346					82FC57450W
FCDP82120440/YA6		410	600	440	460	5	5	6880	15750	10	440	313877B	517436	410RV6011		
FCD84112260/YA3		420	580	260	468	5	5	3740	9650	5	210	BC2B320074/VAJ202				
FC84112280/YA3		420	560	280	457	5	5	3800	9250	1	196			420RV5601	4R8403	84FC56280
FCD84112400		420	560	400	458	5	5	4950	13000	4	278			420RV5602		84FC56400
FC84116230/YA3		420	580	230	466	4	4	2430	6250	1	181				4R8408	
FCD84116320/YA3		420	580	320	463	5	5	4680	10800	6	250	313555B/VJ202	533053			
FCDP84120440/YA3		420	600	440	470	5	5	7100	17200	9	433	313513	545467	420RV6011	4R8407	
FCD84124300		420	620	300	473	5	5	520	15800	4	416					
FCD84124400/YA6		420	620	400	473	5	5	6930	15600	7	430	314391/VJ202				
FC84124400		420	620	400	478	5	5	500	13400	1	410				4R8401	
FCDP86114340/YA3		430	570	340	465	5	5	6000	16800	10	260		526415			
FCD86118420/YA3		430	591	420	476	5	5	5200	13400	5	355			430RV5921	4R8605	
FC88118270/YA3		440	590	270	482	5	5	3620	8460	3	207					88FC59270W
FCDP88124450/YA6		440	620	450	487	5	5	7350	17800	10	450	314554B	517454A	440RV6213	4R8801	88FC62450AW
FCD88124450/YA3		440	620	450	490	5	5	7450	19000	5	450			440RV6221		
FCDP88128420/YA3		440	640	420	492	5	5	7820	18400	9	470					88FC64420
FCDP88130355/YA6		440	650	355	494	5	5	6700	14000	10	420	316899A				
FCDP90108435/YA6		450	590	435	486	5	5	5150	14800	10	345		542648			
FCD90126450/YA3		450	630	450	500	5	5	6950	17500	5	440			450RV6321		90FC63450A
FCDP92122322/YA6		460	610	322	499	5	5	410	14600	10	290		526420			
FCDP92124320/YA3		460	620	320	500	5	5	4800	16200	9	296		526026			
FC92124400/YA3		460	620	400	506	5	5	5500	14700	1	352			460RV6201		
FCDP92124400/YA6		460	620	400	502	5	5	6400	16600	10	368			460RV6211	4R9223	92FC62400BW
FCDP92124460/YA6		460	620	460	502	5	5	7100	19100	10	427			460RV6212		
FCDP92130355/YA6		460	650	355	509.5	5	5	6240	14100	10	386	313031A				
FCDP92130424/YA6		460	650	424	510	5	5	7510	17620	10	458	315196A	513584A			
FCDP92130470/YA6		460	650	470	509	5	5	8680	20900	10	523	314560	518846	460RV6511	4R9216	92FC65470W
FCDP92132475/YA6		460	660	475	508	5	5	11000	35000	10	585		517693			
FCD92134500/YA3		460	670	500	522	5	5	8900	22700	5	601			460RV6721		
FCDP92140540/YA3		460	700	540	519	5	5	12000	37500	9	786		529368			
FC96120236/YA3		480	600	236	510	3	3	2620	7850	1	155				4R9610	

EVERGLORY INDUSTRY CO., LIMITED

No. 29 Industrial Park North Road Wafangdian City Liaoning China

www.evergloryindustry.com

info@evergloryindustry.com

Tel / Whatsapp: 008613130008503



Bearing NO.		Boundary dimensions(mm)						Basic load ratings(kN)		Cutline	Weight (kg)	Refer foreign model				
New	Old	d	D	B	Fw	r <sub>1</sub> , 2min	r3, 4min	Cr	Cor			Refer	SKF	FAG	NSK	NTN
FCDP96130340/YA3		480	650	340	522	5	5	6550	18400	9	320		525884			
FCDP96130420/YA6		480	650	420	522	5	5	9120	23700	10	440		525912			
FCDP96130450/YA6		480	650	450	525	5	5	7680	21000	11	440	316690B	547659			
FCDP96130460/YA3		480	650	460	526	5	5	7730	20800	9	443					96FC65460
FCDP96136420/YA6		480	680	420	528	5	5	7840	19100	10	515	319320	533522			
FCDP96138460/YA6		480	680	460	532	5	5	8620	21300	10	545					96FC68460
FCDP96136500/YA6		480	680	500	528	5	5	8570	23000	10	605	316624				
FCDP96136500A/YA6		480	680	500	532	5	5	8790	23700	10	585	313516D	514445B		4R9604	
FCDP96136500A1/YA6		480	680	500	534	5	5	9000	23100	10	620			480RV6801		96FC68500
FCDP96140500/YA6		480	700	400	538	5	5	7650	17400	10	538			480RV7031		
FCDP96136500/YA6		480	700	500	534	5	5	9200	34200	10	675		546125			
FCDP96140530/YA3		480	700	530	536	5	5	8300	31500	9	720		523399			
FCD100130260/YA3		500	650	260	542	6	6	4020	9750	5	225	319254/VJ202				
FCDP100134450/YA6		500	670	450	540	6	6	8300	22300	11	464	316083A		500RV6712E		
FCDP100134450A/YA6		500	670	450	556	6	6	4500	11400	10	458		533023			
FCDP100136450/YA6		500	680	450	550	6	6	5775	21300	10	500	BC4B316515	546335			
FCDP100138470/YA6		500	690	470	547	6	6	7650	22500	10	590				4R10016	
FCDP100138510/YA6		500	690	510	550	6	6	8850	23900	10	580			500RV6913		
FCDP100138510A/YA6		500	690	510	552	6	6	9000	24600	10	580			500RV6921	4R10006	
FCDP100140500/YA6		500	700	500	554	6	6	11600	38000	10	615		517692			
FCDP100140515/YA6		500	700	515	554	6	6	9100	23800	10	622			500RV7021	4R10011	
FCDP100142480/YA3		500	710	480	558	6	6	8500	21200	9	632	316968A	530488	500RV7111		
FCDP100144400		500	720	400	558	6	6	7920	17600	9	530	BC4B322066				
FCDP100144530/YA6		500	720	530	560	6	6	9950	25300	10	782			500RV7211		
FCDP100144530A/YA6		500	720	530	568	6	6	10800	28500	10	780	314441B	513378A		4R10015	
FCP102134320/YA6		510	670	320	554	6	6	4950	12700	1	298			510RV6701		10FC67320
FCDP102136500/YA6		510	680	500	560	6	6	8970	24700	10	522	BC4B319411	567725A			
FCDP102140540/YA6		510	700	540	558	6	6	8300	25000	10	690				4R10202	
FCDP102146520/YA6		510	730	520	565	6	6	13400	42000	10	745		541646			
FCD102146520A/YA3		510	730	520	569	6	6	9520	22000	6	750	BC4-8009/HB1				
FCDP102152550/YA6		510	760	550	570	6	6	12100	26500	10	950	BC4-8007/HB1	517690			
FCDP104136450/YA6		520	680	450	562	5	5	7810	22300	10	435					10FC68450W
FCDP104140540/YA6		520	700	540	564	6	6	8200	25500	10	658				4R10403	
FCDP104144550/YA6		520	720	550	566	6	6	9400	27700	10	715				4R10406	
FCDP104147535/YA6		520	735	535	574.5	6	6	10400	26300	10	750			520RV7331	4R10402	104FC74535
FCDP104150530/YA6		520	750	530	576	6	6	13700	45000	10	785		541647			
FCDP106140540/YA6		530	700	540	574	6	6	8150	26500	10	626				4R10603	
FCDP106152520/YA6		530	760	520	587	6	6	11700	28500	10	798	314886A	531597			
FCDP106152520A/YA6		530	760	520	590	6	6	9150	26700	10	800				4R10601	
FCD106156500/YA3		530	780	500	591	6	6	9350	20200	6	805	315040/VJ202				
FCDP106156570/YA6		530	780	570	595	6	6	11800	29200	10	960			530RV7813	4R10606	106FC78570
FCDP106156570A/YA6		530	780	570	601	6	6	11800	29200	10	960	314517A	517689A	530RV7811	4R10602	
FCDP106174670		530	870	670	615	6	6	21200	67000	10	1680		543481			
FCDP109162580/YA6		545	810	580	614	6	6	13500	33400	10	1090					109FC81580
FCDP110148510/YA6		550	740	510	600	6	6	9150	25700	10	648	316691B	532843			110FC74510
FCDP110148510A/YA6		550	740	510	602	6	6	9150	25700	10	648			550RV7411A		
FCD110160520/YA6		550	800	520	612	6	6	11700	26500	10	895	316115/VJ202				
FCDP110160520A/YA6		550	800	520	622	6	6	9450	27000	10	550				4R11001	
FC110160560/YA3		550	800	560	610	6	6	12100	28000	4	930	BC4B322719/HB1	517688			
FC112136360/YA3		560	680	360	590	6	6	4650	16500	1	265				4R11202	
FCDP112160600/YA6		560	800	600	620	6	6	12400	31500	10	1020			560RV8011		112FC80600
FCDP112164600A/YA6		560	820	600	625	6	6	14200	34000	10	1080	BC4B322930/HB1	517687A			

EVERGLORY INDUSTRY CO., LIMITED

No. 29 Industrial Park North Road Wafangdian City Liaoning China

www.evergloryindustry.com

info@evergloryindustry.com

Tel / Whatsapp: 008613130008503





Bearing NO.		Boundary dimensions(mm)						Basic load ratings(kN)		Cutline	Weight (kg)	Refer foreign model				
New	Old	d	D	B	Fw	r <sub>1</sub> , 2min	r3, 4min	Cr	Cor			Refer	SKF	FAG	NSK	NTN
FCDP112164630/YA6		560	820	630	625	6	6	14000	452000	10	1240		526708			112FC82630
FCDP112184710/YA6		560	920	710	652.5	7.5	4	19640	45400	10	2010	313189A				
FCDP114150530/YA6	6727/570	570	750	530	622	6	6	7000	26600	10	625					
FCDP114160514/YA6		570	800	514	626	6	6	10200	29200	10	849				4R11404	
FCDP114163594/YA6		570	815	594	628	6	6	13700	33500	10	964			570RV8111	4R11402	114FC81594
FCDP114166600/YA6		570	830	600	635	6	6	17600	67800	10	1210		517686			
FCDP116170640/YA6		580	850	640	648	6	6	18000	63400	10	1275		517685			
FCDP118164590/YA6		590	820	590	649	6	6	13100	35100	10	990					118FC82590
FCDP120164550/YA6		600	820	550	660	6	6	9400	30400	10	900		518780			
FCDP120164575/YA6		600	820	575	660	6	6	12900	35500	10	936	315175A	528518	600RV8212E	4R12006	120FC82575
FCDP120164575G/YA6		600	820	575	660	6	6	12900	35500	11	936	315175C				
FCDP120174540/YA6		600	870	540	672	6	6	12080	38500	10	1150	315068A	533259		4R12002	
FCDP120174640/YA6		600	870	640	672	7.5	7.5	15700	40000	10	1320	315513	517684A	600RV8713	4R12001	120FC87640
FCDP120174640A/YA6		600	870	640	682	7.5	7.5	15700	40000	10	1320	314317A		600RV8711		
FCDP120184680/YA6		600	920	680	674	6	6	23000	67000	10	1810		526235			
FCDP122164430/YA6		610	820	430	665	6	6	9350	23600	10	656	315257A				
FCDP122170570/YA6		610	850	570	670	6	6	12600	33000	10	1040			610RV8511		122FC85570
FCDP122174660/YA6		610	870	660	680	6	6	15200	41000	10	1370			610RV8711	4R12202	122FC87660
FCDP126160360/YA6		630	800	360	675	5	5	6850	19500	10	440					126FC80360
FCDP126180670/YA6		630	900	670	698	6	6	20800	63500	10	1525		517683			
FCDP126184515		630	920	515	700	7.5	7.5	10700	17160	10	1182					
FCDP130180650/YA6		650	900	650	704	7.5	7.5	14800	41500	10	1260	BC4-8002/HA6				
FCDP130184670/YA6		650	920	670	723	7.5	7.5	16200	44000	10	1470	313007C	515194A	650RV9212	4R13005	130FC92670
FCDP130184680/YA6		650	920	680	723	7.5	7.5	14800	47000	10	1510				4R13010	
FCDP130184690/YA6		650	920	690	723	7.5	7.5	16600	45000	10	1520			650RV9211	4R13003	
FCDP130184690A/YA6		650	920	690	724	7.5	7.5	16700	45500	10	1490					130FC92690
FCD132164440/YA3		660	820	440	702	7.5	7.5	7260	20960	6	536	239509FA			4R13201	
FCD132176450		660	880	450	727	7.5	7.5	8390	22000	4	792	313477/VJ202				
FCDP134174530/YA6		670	870	530	725	6	6	13700	34500	10	827		533258			
FCDP134190690/YA6		670	950	690	740	6	6	22400	50000	10	1606		517682			
FCD136188600/YA6		680	940	600	743	7.5	7.5	19000	42500	10	1295		533683			
FCDP136196640/YA6		680	980	640	760	7.5	7.5	21200	45000	10	1219	313154C	524229			
FCDP136204650/YA6		680	1020	650	803	7.5	7.5	15700	48000	10	1970				4R13603	
FCDP136204680/YA6		680	1020	680	775	7.5	7.5	17300	49500	10	2060				4R13604	
FCDP138196715/YA6		690	980	715	767.5	7.5	7.5	17900	48000	10	1790	313008A	517681	690RV9831	4R13802	138FC98715
FCDP138196750/YA6		690	980	750	766	7.5	7.5	19200	53000	10	1880			690RV9812	4R13803	138FC98750A
FCDP140186620/YA6		700	930	620	763	7.5	7.5	12900	38000	10	1200	316967	530487	700RV9311	4R14003	
FCD140196600/YA3		700	980	700	774	7.5	7.5	17800	49000	5	1720			700RV9821		140FC98700
FCDP140200710/YA6		700	1000	710	770	7.5	7.5	18900	47400	10	1810					140FC100710W
FCDP142200715/YA6		710	1000	715	787.5	7.5	7.5	18700	50500	10	1850	313403C	517680A	710RV1011	4R14205	
FCDP142204710/YA6		710	1020	710	785	7.5	7.5	19300	49100	10	1940					142FC102710
FCDP146188500/YA6		730	940	500	780	7.5	7.5	12300	42500	10	1000		526447			
FCDP146192620/YA6		730	960	620	790	7.5	7.5	15000	44500	10	1250	315982	525438	730RV9611		
FCDP146206750/YA6		730	1030	750	809	7.5	7.5	20650	56400	10	2050	314518B	517679	730RV1011		
FCD150200500/YA6		750	1000	500	816	7.5	7.5	12100	32000	7	1162	314420/VJ202				
FCDP150200670/YA6		750	1000	670	813	7.5	7.5	16800	49500	10	1520	315973	524881A	750RV1011		
FCDP150218615/YA6		750	1090	615	836	7.5	7.5	21600	49000	10	1966		800494			
FCDP150226670/YA6		750	1133	670	848	7.5	7.5	21000	50100	10	2460					150FC113670
FCDP1 5 2206750/YA6		760	1030	750	828	7.5	7.5	17300	59500	10	2000				4R15204	152FC103750
FCDP1 5 2206750A/YA6		760	1030	750	834	7.5	7.5	18200	53500	10	1880			760RV1031		
FCDP156214780/YA6		780	1070	780	853	7.5	7.5	23200	65000	10	2310	BC4-8015/HB1	540088			156FC107780
FCDP158203610/YA6		790	1015.9	610	850	7.5	7.5	15500	48800	10	1290					158FC102610

EVERGLORY INDUSTRY CO., LIMITED

No. 29 Industrial Park North Road Wafangdian City Liaoning China

www.evergloryindustry.com

info@evergloryindustry.com

Tel / Whatsapp: 008613130008503



Bearing NO.		Boundary dimensions(mm)						Basic load ratings(kN)		Cutline	Weight (kg)	Refer foreign model				
New	Old	d	D	B	Fw	r <sub>1</sub> , 2min	r3, 4min	Cr	Cor			Refer	SKF	FAG	NSK	NTN
FCDP158224810/YA6		790	1120	810	870	7.5	7.5	30000	69000	10	2605		517678			
FCDP160216700/YA6		800	1080	700	870	7.5	7.5	16500	55000	10	1950				4R16004	
FCDP160216700A/YA6		800	1080	700	878	7.5	7.5	19600	58000	10	1950	315599A	526169	800RV1011		
FCDP160216750/YA6		800	1080	750	880	7.5	7.5	18500	56000	10	2050			800RV1012	4R16005	160FC108750
FCDP164226800/YA3		820	1130	800	903	7.5	7.5	23900	66500	10	2540	BC4B320455	803317	820RV1117	4R16406	164FC113800D
FCDP164232840A/YA6		820	1160	840	911	7.5	7.5	23600	71500	10	2900			820RV1111A	4R16403	164FC116840
FCDP166216710/YA6		830	1080	710	896	7.7	7.7	22800	62000	10	1725		567729		4R16601	166FC108710
FCDP168232840/YA6		840	1160	840	920	7.5	7.5	24700	70800	10	2810			840RV1111	4R16801	168FC116840
FCDP170230650/YA6		850	1150	650	941	7.5	7.5	15700	51000	10	1980				4R17001	
FCDP170230800/YA6		850	1150	800	930	7.5	7.5	19700	71000	10	2430				4R17003	
FCDP170230840/YA6		850	1150	840	928	7.5	7.5	25300	73100	10	2586	315826A	545636	850RV1114	4R17009	
FCDP170236650/YA6		850	1180	650	945	7.5	7.5	19600	53000	10	2260			850RV1133	4R17004	170FC118650
FCDP170236850/YA6		850	1180	850	928	7.5	7.5	24100	78500	10	2970				4R17002	
FCDP170236850A/YA6		850	1180	850	940	7.5	7.5	24600	72000	10	2850			850RV1111	4R17014	170FC118850B
FCDP170244900/YA6		850	1220	900	940	7.5	7.5	28000	82400	10	3720		523397			
FCDP172226670/YA6		860	1130	670	934	7.5	7.5	18320	56300	10	1792			860RV1132		
FCDP172228750/YA6		860	1140	750	938	7.5	7.5	17200	61000	10	2200				4R17202	172FC114750
FCDP176228800/YA6		880	1140	800	946	6	6	23600	77400	10	2210					176FC114800
FCDP180244840/YA6		900	1220	840	989	7.5	7.5	26100	78600	10	3075	316043	527048	900RV1212		
FCDP180256930/YA6		900	1280	930	1000	7.5	7.5	32500	92600	10	4096	313528C	541812	900RV1213		180FC128930
FCDP1882641000/YA6		940	1320	1000	1029	7.5	7.5	41200	95600	10	4380		517676			
FCDP190272975/YA6		950	1360	975	1075	9.5	9.5	31700	97000	10	4900	BC4B319862				
FCDP1902721000/YA6		950	1360	1000	1075	9.5	9.5	37200	108000	10	5020	314520C	517369A	950RV1311		
FCDP196262880/YA6		980	1310	880	1061.7	9.5	9.5	28300	83560	10	3320	319303	580309			
FCDP1962721000/YA6		980	1360	1000	1080	9.5	9.5	41500	106000	10	4675		517740	106000		
FCDP198272760/YA6		990	1360	760	1080	12	12	30500	68000	10	3270		522071			
FCDP200262880/YA6		1000	1310	880	1080	12	12	23400	88500	10	3260				4R20001	
FCDP200272800/YA6		1000	1360	800	1090	12	12	25000	85000	10	3530				4R20002	
FCDP200272800A/YA6		1000	1360	800	1101	12	12	27300	80800	10	3574	316234A	527021			
FCDP206276850/YA6		1030	1380	850	1124	12	12	24400	89000	10	3800				4R20601	206FC138850A
FCDP2082881000/YA6		1040	1440	1000	1145	12	12	44000	112000	10	5175		517675			
FCDP212272800/YA6		1060	1360	800	1137	12	12	32500	91500	10	3005		521910			
FCDP2203001000/YA6		1100	1500	1000	1194	12	12	47500	116000	10	5360		517737			
FCDP2243161150/YA6		1120	1580	1150	1255	12	12	43300	134100	10	7420			1120RV1511		
FCDP230300760/YA6		1150	1500	760	1240	12	12	33500	86500	10	3625		518206			
FCDP2403181050/YA6		1200	1590	1050	1295	12	12	36000	133000	10	6220				4R24002	
FCDP2403181050A/YA6		1200	1590	1050	1305	12	12	41200	128000	10	5970	315494B	518649			
FCDP2403241150/YA6		1200	1620	1150	1305	12	12	58500	157000	10	7500		518578			
FCDP2403401150/YA6		1200	1700	1150	1320	12	12	64000	194000	10	8670		518218			
FCDP2503301000/YA6		1250	1650	1000	1360	12	12	48000	162000	10	6380		534794			
FCDP2503501370/YA6		1250	1750	1150	1370	12	12	65500	210000	10	9000		525063			
FCDP254320850/YA6		1270	1602	850	1354	12	12	32800	111000	10	4200					254FC160850
FCDP2603401000/YA6		1300	1700	1000	1410	12	12	48000	172000	10	6600		534795			
FCDP2703701150/YA6		1350	1850	1150	1470	12	12	68000	198000	10	10050		525078			
FCDP2803801150/YA6		1400	1900	1150	1520	12	12	64000	156000	10	9470		528717			
FCDP2803801360/YA6		1400	1900	1360	1521	12	12	68000	180000	10	11300	BC4-8005/HA4				
FCDP2962661000/YA6		1480	1830	1000	1569	12	12	50000	162000	10	6370		525213			
FCDP3003901200/YA6		1500	1950	1200	1605	12	12	72000	226000	10	10150		528807			
FCDP3003901230/YA6		1500	1950	1230	1610	12	12	71000	200000	10	9880		534900			
FCDP3203901230/YA6		1600	1950	1230	1690	12	12	58500	194000	10	8400		534899			
FCDP3204481300/YA6		1600	2240	1300	1760	15	15	91500	310000	10	16800		535085			

EVERGLORY INDUSTRY CO., LIMITED

No. 29 Industrial Park North Road Wafangdian City Liaoning China

www.evergloryindustry.com

info@evergloryindustry.com

Tel / Whatsapp: 008613130008503

